















Specification

Structure	Earthquake resistant structure.
Living / Dining / Lobby	Floor – Vitrified Tiles + granite border
	Walls – POP Acrylic Emulsion coloured paint & oil bond distemper
	Ceiling – Oil bound distemper and POP
Bedroom	Floor – Laminated wooden flooring in master bedroom and vitrified tiles in others
	Walls – Acrylic emulsion paint on POP punning
	Ceiling – POP and Oil bound distemper
Doors	Internal door - Painted Hardwood Frame with Painted moulded skin doors
	Other doors – Veneered painted hard wood
	Hardware – Shutter hinges with stainless steel. All other hardware in steel.
	All doors except those in toilets and kitchen to be provided with a lock.
Windows	Painted woods windows with glass shutter
Toilets	Walls - Combination of one more of Vitrified tiles/ceramic tiles.
	Floor – Combination of one or more Vitrified tiles.
	Counters – Polished granite work top.
	Fittings/Fixtures - Single level C.P. fittings, WC. Fittings-of reputed brand.
Kitchen	Modular Kitchen
	Walls – Ceramic tiles upto 2'0" above counter and oil bound distemper in the remaining area.
	Floor – Combination of one or more of Vitrified tiles.
	Counter - Polished granite topFitting / Fixtures - CP fittings, stainless steel sink with drain
Electrical Work	Electrical work with copper wires in concealed PVC conduits. Provision shall be made for
	sufficient lighting & power points. Switches & Sockets. Telephone & TV points in each
	bedroom, drawing/dining room with connection of inverter

- Freehold property
- Approved by Haryana Government
- Located on Badhkal Pali road, just 20 min. drive from South Delhi & Gurgaon
- Congestion free approach roads
- Connectivity with major landmarks
- Proximity to shopping malls and academic institutions
- Telecommunication and transportation connectivity.