

www.Zricks.com





















Specification

Grand Entrance Lobby

• Well –decorated entrance lobby with premium texture paint finish in common areas such as staircases

Elevation

An iconic building, meticulously designed. Combination of anti-fungal and textured paint.

Air-conditioning

• Split AC in all rooms including the dining/living room. (not in bathroom)

Foundation & Structure

- Reinforce cement with concrete on piles and sheer walls wherever necessary.
- Strict surveillance on quality.

Wall finish

· Putty finish smooth walls

Doors

- Internal doors Both side painted door
- · Main door: One side teak finish door

Windows

- Color Anodized or powder coated glazed aluminum windows
- Double glazed glass panels in all bedrooms to minimize noise pollution.

Hardware & Fittings

• Branded locks and hardware fittings of Yale, Godrej or equivalent make.

Floors & Dado

- Large 800x800 vitrified tiles in living & dining & 600x600 vitrified tiles in all bedrooms
- · Anti -skid ceramic tiles in Kitchen floors
- Anti-skid floor tiles in bathroom and designer tiles on wall upto 8 ft height.

Elevators

High speed automatic lifts of Kone/Schneider/ equivalent make with well-decorated lift cars.

Common lighting

• Overhead illumination for compound and street lighting inside the complex

Use of LED lighting in major area to minimize common area power consumption

Electrical Details

- PVC conduit pipe with copper wiring, MCBs/ELCBs with sufficient power points for necessary gadgets.
- Fire resistance wires with premium modular switches of Crabtree/ Havells or equivalent.
- · Concealed wiring of reputed brands for electricity, telephone, internet etc inside the apartment.
- · Quality earthing for all electro-mechanical gadgets

24x7 security & fire prevention

- Power back-up upto 5KVA sufficeint to run all your electrical gadets including AC
- Security surveillance facility with CCTV and 24x7 round the clock security facility.
- Firefighting arrangement as per West Bengal Fire service recommendation
- Smoke detectors with sprinkler system for fire prevention
- Required number of Evacuation point & refuge platforms for resident s safety along with fire alarms
- Video door phone facility coupled with intercom system.

Treatment

- Anti-termite treatment during various stages of construction
- Thermal insulation treatment for the roof

Water treatment & proofing

- Each apartment assures 24 hours treated water supply.
- Superior quality waterproofing wherever necessary.

Kitchen

- Granite counter top
- Dado of ceramic tiles above platform upto 2 feet height
- · Stainless steel sink
- Hot & cold water provision
- Separate KMC water line for drinking water
- Ceramic wall tiles in utility balcony

Toilets


- Water efficient sanitary fixtures (Hindware Italian collection/ Kohler or equivalent)
- Top-of-the-line international quality fittings of jaguar or equivalent make
- Designer large size wall tiles upto 8 feet height. Anti-skid flooring.
- Hot and cold water provision.

Live amongst Green, Air & Water

- Ample open area & greenery all around
- Terraces in some apartments to a give a blissful feeling
- · Meticulously planned apartment, two/three sides open cross ventilation and adequate daylight


Block I | (G+12)
Typical Floor Plan | 2nd - 12th Floor

Unit	Flat Area Sq. Ft. (X)	
Flat No.	Flat Type	BU
(2-12) A	3BKH+3TOI	1077
(2-12) B	3BKH+3TOI	1077



Block 2 | (G+24)First Floor Plan

,	Jnit Info	Flat Area Sq. Ft. (X)	Terra	ce Area (Y)	Total Area (X+Y)
Flat No.	Flat Type	BU	BU	Chargeable	Chargeable
IA	4BKH+3TOI	1708	00	00	1708
IB	3BKH+3TOI	1508	202	101	1609





Block 2 9th, I 2th, I 5th, I 8th, 2 I st Floor

Unit Info		Flat Area Sq. Ft. (X)	Terrace Area (Y)		Total Area (X+Y)
Flat No.	Flat Type	BU	BU	Chargeable	Chargeable
9A,12A,15A, 18A, & 21A	4BKH+3TOI	1579	50	25	1604
9B,12B,15B, 18B, & 21B	3BKH+3TOI	1376	50	25	1401
9C,12C,15C, 18C, & 21C	3BKH+3TOI	1379	50	25	1404
9D,12D,15D, 18D, & 21D	3BKH+3TOI	1376	50	25	1401









www.Zricks.com