



SECOR FLOOR











FOURTH TO SIXTH FLOOR






SEVENTH FLOOR





EIGHTH & NINTH FLOOF










TENTH FLOOR






ELEVENTH FLOOR






_ ~~ ~~






FIFTERNTH FLOOR





Π \sim J J Π Π \sim






SPECIFICATIONS

Structure: R.C.C Framed Structure with Flat slab Super Structure: Walls with combination of Aerocon / Clay Bricks in CM Plastering: Smooth / Sponge Finish in CM Painting: Textured paints for Exterior walls for longevity Flooring in Offices: VDF flooring Flooring in common areas: Granite / Vitrified / Marble flooring Doors: Teak wood / Engineered doors / Frames and Flush Shutters Windows and Ventilators: Structural Glazing Electrical: Wirings & Fittings are of ISI standard Sanitary & Water Supply: anitary and water supply systems will be of ISI standard 5feet high ceramic dado in toilets Lifts: High Speed Lifts of suitable capacity, 20nos, at ground level Escalator: Up and Down between Ground floor and First floor Generator: Standby Generator for lifts, Common area lights & Services Others: Fire Fighting Equipments and Fire Escapes as per DGFS Norms Sewerage Treatment Plant Air Conditioning (High Side) DG Backup (100%) Mechanical Exhaust for cellar to provide treated Fresh Air
















200'-0" WIDE NATIONAL HIGHWAY (NH-9)







UPPER GROUND FLOOR



